

# Übersichtsliste

Telefon: 0 49 63 / 9 15-4000  
 Telefax: 0 49 63 / 9 15-99 4199  
 Internet: www.hero-fire.de  
 E-mail: info@hero-fire.de



product	thickness/mock up	class	dimensions	materials / components	system	DIN/EN	test report/certification
Hero-Fireguard 30	6/12/6 24mm	E30	1400mm x 2600mm	Stahl		EN	Exova 187218/A
Hero-Fireguard 60	6/12/6 24mm	E60	1400mm x 2600mm	Stahl		EN	Exova 187218/A
Hero-Fireguard 90	6/12/6 24mm	E90	1400mm x 2600mm	Stahl		EN	Exova 187218/A
Hero-Fireguard 30	6/12/6 24mm	EW30	1400mm x 2600mm	Stahl		EN	Exova 187218/A
Hero-Fireguard 30	66.2 13mm	EW30	1364mm x 1364mm	Stahl	Voest Alpine	EN	Exova 307371B
Hero-Fireguard 60	66.2 13mm	EW60	1364mm x 1364mm	Stahl	Voest Alpine	EN	Exova 307371B
Hero-Fire S EW30	35mm	EW30 ISO	2130mm x 3000 mm	Alu Rahmen	Alcoa RT 62	EN	DMT-DO-61-014
Hero-Fire S EW30	35mm	EW30 ISO	2130mm x 3000 mm	Alu Rahmen	Alcoa RT 62	NEN	2014-Efectis-R0103.150/BGG/TNL
Hero-Fire S EW30	13mm	EW30 Mono	2130mm x 3000 mm	Alu Rahmen	Alcoa RT 62	NEN	2014-Efectis-R0103.150/BGG/TNL
Hero-Fire S EW30	13mm	EW30 Mono	1602mm x 3002 mm	Stahl Rahmen	Jansen ECO 60	EN	DMT-DO-61-011/1
Hero-Fire S EW60	13mm	EW60 Mono	1602mm x 3002 mm	Stahl Rahmen	Jansen ECO 60	EN	DMT-DO-61-011/2
Hero-Fire S E90	13mm	E90 Mono	1602mm x 3002 mm	Stahl Rahmen	Jansen ECO 60	EN	DMT-DO-61-011/3
Hero-Fire S EW60	35mm	EW60 ISO	1602mm x 3002 mm	Stahl Rahmen	Jansen ECO 60	NEN	2015-Efectis-R000789/BGG/TNL

Hero-Fire 30	22mm	EI30	1638mm x 2880mm	leichte Trennwände	Hero-Fire	EN	Z-19.14-1646
Hero-Fire Ho 30	22mm	EI30 Mono	1500mm x 3000mm	Holz	Hero-Fire	EN	Z-19.14-1833
Hero-Fire Ho 30	>34mm <=43mm	EI30 ISO	1500mm x 3000mm	Holz	Hero-Fire	EN	Z-19.14-1833
Hero-Fire Ho2 30	31mm	EI30 Mono	1500mm x 2842mm	Holz Glas an Glas	Hero-Fire	EN	Z-19.14-1993 / PB IIIB-05-236
Hero-Fire 30	25mm	EI30	1106mm x 2207mm	2-fl. Stahl-Tür	Forster Fuego Light	EN	PB 210003484 Erwitte
Hero-Fire 30	22mm	EI30 Mono	1310mm x 2370mm	1-fl. Stahl-Tür	Forster Fuego Light	EN	PB III / B-08-085 MFPA Leipzig
Hero-Fire 30	22mm	EI45 Mono	1304mm x 2324mm	1-fl. Stahl-Tür	Forster Fuego Light	EN	11-000076-PB-01-C04-01-de-01 IFT
Hero-Fire 30	22mm	EI30 Mono	1385mm x 2870 mm	Stahl-Festverglasung	Forster Fuego Light	EN	PB III / B-07-013 MFPA Leipzig
Hero-Fire 30	≤42mm	EI30 ISO	1385mm x 2870mm	Stahl-Festverglasung	Forster Fuego Light	EN	PB III / B-07-013 MFPA Leipzig
Hero-Fire 30	25mm	EI45	1638mm x 2880mm	leichte Trennwände	Hero-Fire	EN	PB III / B-04-033
Hero-Fire 30	22mm	EI30 Mono	1404mm x 2587mm	ALU-Tür+Festverglasung	Alufiam TK 30	EN	Z-6.20-1955 / Z-19.14-1093
Hero-Fire 30	36mm	EI30 ISO	1404mm x 2587mm	ALU-Tür+Festverglasung	Alufiam TK 30	EN	Z-6.20-1955 / Z-19.14-1093
Hero-Fire 30	22mm	EI30 Mono	1628mm x 2870mm	ALU/Festverglasung	Schuco Firestop II (alt)	EN	PB III / B-04-386
Hero-Fire 30	24mm	EI30 Mono	966mm x 2195mm	Stahl-Tür	Janisol 2	EN	FR 021 / 04 CP (E) Fires
Hero-Fire 30	22mm	EI30 Mono	1503mm x 1893mm	Stahl-Festverglasung	Janisol 2	EN	PB III/B-06-028/PB III/B-06-176
Hero-Fire 30	22mm	EI30 Mono	1263mm x 2868mm	Stahl Festverglasung	Janisol 2	EN	PB III/B-06-028/PB III/B-06-176
Hero-Fire 30	22mm	EI30 Mono	1600mm x 3000mm	ALU-Festverglasung	SAPA Secur II	EN	210005641-07 MPA Erwitte / Z-6.20-2158
Hero-Fire 30	22mm	EI30 ISO	1600mm x 3000mm	ALU-Festverglasung	SAPA Secur II	EN	210005641-07 MPA Erwitte / Z-6.20-2158
Hero-Fire 30	22mm	EI30 Mono	1233mm x 2782mm	ALU-1fl.Tür+Festverglasung	SAPA Secur II	EN	PB 3.2/10-043-5-MFPA Leipzig
Hero-Fire 30	22mm	EI30 Mono	1422mm x 2878mm	ALU-Festverglasung	SAPA Secur II	EN	PB 3.2/10-043-5-MFPA Leipzig
Hero-Fire 30	49mm	EI30 ISO	1080mm x 900mm	Holzfenster	Überkopf	DIN	PB III/B-07-122
Hero-Fire 30	22mm	EI30	1190mm x 2296mm	ALU-Tür	Wicstyle 77 FP	EN	PB3.2 10-043-7 Wicona MFPA Leipzig
Hero-Fire 30	22mm	EI30	1398mm x 342mm	Oberlicht	Wicstyle 77 FP	EN	PB3.2 10-043-7 Wicona MFPA Leipzig
Hero-Fire 30	22mm	EI30	1398mm x 2882mm	ALU-Festverglasung	Wicstyle 77 FP	EN	PB3.2 10-043-7 Wicona MFPA Leipzig
Hero-Fire 30	22mm	EI30	1502mm x 3502mm	ALU-Festverglasung	Wicstyle 77 FP	EN	PB3.2 12-159-2 Wicona MFPA Leipzig
Hero-Fire 30	22mm	EI30	2318mm x 1302mm	ALU-Festverglasung (Oberlicht)	Wicstyle 77 FP	EN	PB3.2 12-159-2 Wicona MFPA Leipzig
Hero-Fire 30	22mm	EI30	1190mm x 2300mm	ALU-Tür 1-flüglige + 2-flüglige Türanlagen	Wicstyle 77 FP	EN	Z-06.20-2004 Wicona Zulassung 2013
Hero-Fire 30	22mm	EI30	908mm x 2890mm	Seitenteil	Wicstyle 77 FP	EN	Z-06.20-2004 Wicona Zulassung 2013
Hero-Fire 30	22mm	EI30	1400mm x 500mm	im T-Bauteil (Oberlicht)	Wicstyle 77 FP	EN	Z-06.20-2004 Wicona Zulassung 2013
Hero-Fire 30	22mm	EI30	1502mm x 3502mm	ALU-Festverglasung	Wicstyle 77 FP	EN	Z-19.14-2015 Wicona Zulassung
Hero-Fire 30	22mm	EI30	2318mm x 1302mm	ALU-Festverglasung	Wicstyle 77 FP	EN	Z-19.14-2015 Wicona Zulassung
Hero-Fire 30	22mm	EI30	1394mm x 2642mm	2-fl. Stahl-Tür	Voest-Alpine	EN	11081702 IBS-Linz
Hero-Fire 30	22mm	EI30	341mm x 1886mm	Stahl-Festverglasung	Voest-Alpine	EN	11081702 IBS-Linz
Hero-Fire 30	22mm	EI30	1485mm x 178mm	Stahl-Festverglasung	Voest-Alpine	EN	11081702 IBS-Linz
Hero-Fire 30	22mm	EI30 Mono	1296mm x 2777mm	ALU-2-fl. Tür	HEROAL 082	EN	Z-6.20-1920 / Z-19.14-1507
Hero-Fire 30	22mm	EI30 Mono	1400mm x 2888mm	ALU-Seitenteil	HEROAL 082	EN	Z-6.20-1920 / Z-19.14-1507
Hero-Fire 30	22mm	EI30 Mono	3000mm x 806mm	ALU-Oberlicht	HEROAL 082	EN	Z-6.20-1920 / Z-19.14-1507
Hero-Fire 30	22mm	EI30 Mono	1296mm x 2777mm	ALU-2-fl. Tür	HEROAL 082	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono	1400mm x 2888mm	ALU-Seitenteil	HEROAL 082	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono	3000mm x 806mm	ALU-Oberlicht	HEROAL 082	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono	1297mm x 2778mm	ALU-2-fl. Tür	HEROAL 082	EN	PB-DMT-DO-50-015
Hero-Fire 30	22mm	EI30 Mono	1502mm x 2886mm	ALU-Seitenteil	HEROAL 082	EN	PB-DMT-DO-50-015
Hero-Fire 30	22mm	EI30 Mono	3002mm x 808mm	ALU-Oberlicht	HEROAL 082	EN	PB-DMT-DO-50-015

Hero-Fire 30	≥37mm	EI30 ISO	1296mm x 2308mm	ALU-2-fl. Tür	HEROAL 082	EN	PB-DMT-DO-50-016
Hero-Fire 30	≥37mm	EI30 ISO	1500mm x 2415mm	ALU-Seitenteil	HEROAL 082	EN	PB-DMT-DO-50-016
Hero-Fire 30	≥37mm	EI30 ISO	3000mm x 1275mm	ALU-Oberlicht	HEROAL 082	EN	PB-DMT-DO-50-016
Hero-Fire 30	22mm	EI30 Mono	1116mm x 1931mm	Alu	HEROAL 065 Mono/ISO	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono	966mm x 2195mm	Stahl 1-fl. Tür	Jansen	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono	1263mm x 2868mm	Stahl Festverglasung	Jansen	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono/ISO	1274mm x 2834mm	ALU-Tür-ADS80-FR30	Schüco	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono/ISO	1415mm x 2918mm	Alu-Festteil-ADS80	Schüco		
Hero-Fire 30	22mm	EI30 Mono/ISO	1252mm x 1852 mm	ALU-Flügel-AWS60-75BS	Schüco	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono/ISO	1374mm x 1852 mm	ALU-Fixfeld-AWS60-75BS	Schüco		
Hero-Fire 30	22mm	EI30 Mono/ISO	1344mm x 2816 mm	ALU-Fassade FW50-60	Schüco	EN	IBS-Linz-Österreich
Hero-Fire 30	22mm	EI30 Mono/ISO	1600mm x 3200 mm	Stahl-ALU-Fassade FW50	Schüco	EN	PB 3.2-11-183-2 MFPA Leipzig
Hero-Fire 30	22mm	EI30 Mono	1266mm x 2536mm	Alu ADS 80 FR	Schüco	EN	PB-DMT-DO-50-056
Hero-Fire 30	27mm	EI30 Mono	1209mm x 2472mm	Ganzglastür in Stahleckzarge	Hero-Fire	DIN/EN	PB-DMT-DO-50-059
Hero-Fire 30	27mm	EI30 Mono	1209mm x 2472mm	Ganzglastür in Holzfutterzarge	Hero-Fire	DIN/EN	PB-DMT-DO-50-099
Hero-Fire 30	27mm	EI30 Mono	1209mm x 2472mm	Ganzglastür in Holzblockzarge	Hero-Fire	DIN/EN	PB-DMT-DO-50-100
Hero-Fire 30	44mm	EI30 ISO	1186mm x 2743mm	Alu-Tür-Reynaers CS77 FP	Reynaers	DIN/EN	PB 3.2/13-119-2
Hero-Fire 30	44mm	EI30 ISO	1402mm x 2886mm	Alu-Festteil-Reynaers CS77 FP	Reynaers	DIN/EN	PB 3.2/13-119-2
Hero-Fire 30	44mm	EI30 ISO	1604mm x 3000mm	Steel-fixed glazing Mullion, Transom 90mm x 60mm	Forster Thermfix Vario	DIN/EN	PB-DMT-DO-61-034-engl

Hero-Fire Ho3 60	34mm	EI60 Mono	1500mm x 3010mm	Holz Glas an Glas	Hero-Fire	EN	Z-19.14-xxxx/ PB 3.2/10-043-1
Hero Fire 60	28mm	EI60 Mono	1600 x 3500mm	Holzrahmen	Hero Fire	EN	PB-DMT-DO-61-054
Hero Fire 60	48mm	EI60 ISO	1600 x 2300mm	Holzrahmen	Hero Fire	EN	PB-DMT-DO-61-054
Hero Fire 60	48mm	EI60 ISO	1600 x 3500mm	Holzrahmen	Hero Fire	EN	DMT-DO-20657284-001 GS-BS-St/Kru
Hero-Fire 60	34 mm	EI60	1300mm x 2935mm	Alu Glas an Glas	Skandi BO	EN	DBI Kopenhagen PGA10142
Hero-Fire 60 saddle roof	ca. 63mm	EI60 ISO	2228mm x 630mm	Stahl	Hero-Fire	EN	2005-CVB-B0058-BGG-DLM F60-EI60 overhead
Hero-Fire 60	28mm	EI60 Mono	1398mm x 2870mm	Stahl-Festverglasung	Forster Fuego Light	EN	PB III / B-05-212 MFPA Leipzig
Hero-Fire 60	ca. 41mm	EI60 ISO	1398mm x 2870mm	Stahl-Festverglasung	Forster Fuego Light	EN	PB III / B-05-212 MFPA Leipzig
Hero-Fire 60	32mm	EI60	1410mm x 2642mm	2-fl. Stahl-Tür	Voest-Alpine	EN	11021713 IBS-Linz
Hero-Fire 60	32mm	EI60	1402mm x 2712mm	Stahl-Seitenteil	Voest-Alpine	EN	11021713 IBS-Linz
Hero-Fire 60	32mm	EI60	784mm x 2037mm	Festverglasung	Voest-Alpine	EN	11021713 IBS-Linz
Hero-Fire 60	32mm	EI60	1402mm x 178mm	Festverglasung	Voest-Alpine	EN	11021713 IBS-Linz

Hero-Fire 90	34mm	EI90 Mono	1450mm x 3000mm	leichte Trennwände	Maueröffnung	EN	Z-19.14-1723
Hero-Fire 90	32mm	EI90 Mono	1400mm x 2000mm	leichte Trennwände	Maueröffnung	EN	Z-19.14-1723
Hero-Fire 90	>42mm <70mm	EI90 ISO	1450mm x 3000mm	leichte Trennwände	Maueröffnung	EN	Z-19.14-1723
Hero-Fire 90 saddle roof	ca. 63mm	EI90 ISO	2228mm x 630mm	Stahl-Überkopfverglasung		EN	2004-CVB-R 89 Efectis
Hero-Fire 90	38mm	EI90 Mono	1175mm x 1485 mm	Holzrahmen Dichte 700 kg/m³	Hero-Fire	EN	PB 3.2/15-092 MFPA Leipzig
Hero-Fire 90	58mm	EI90 ISO	1700mm x 3010 mm	Holzrahmen Dichte 700 kg/m³	Hero-Fire	EN	PB 3.2/15-092 MFPA Leipzig
Hero-Fire 90	38mm	EI90 Mono	1200mm x 2421mm	ALU/Festverglasung	Alufiam TK 90	EN	Z-6.20-1877 / Z-19.14-1158
Hero-Fire 90	38mm	EI90 Mono	989mm x 2241mm	ALU/Tür	Alufiam TK 90	EN	Z-6.20-1877 / Z-19.14-1158
Hero-Fire 90	34mm	EI90 Mono	1250mm x 2200mm	ALU/Festverglasung	Alufiam IV	EN	Z-19.14-251
Hero-Fire 90	>34 <70mm	EI90 ISO	1250mm x 2200mm	ALU/Festverglasung	Alufiam IV	EN	Z-19.14-251
Hero-Fire Ho 90	56mm	EI90 ISO	379mm x 1110mm	Holz-Reinigungsflügel 1124mm x 1325mm		EN	PB III/08-268
Hero-Fire Ho 90	56mm	EI90 ISO	324mm x 1009mm	Holz-Festteil		EN	PB III/08-268
Hero-Fire 90	38mm	EI90 Mono	2200mm x 1400mm	Stahl-Festverglasung	Pyrostahl-Bemo	EN	210003358-01 Erwitte
Hero-Fire 90	38mm	EI90 Mono	1216mm x 2712mm	ALU-Tür-Firestop 90	Schüco	EN	PB 3.2/10-043-6 / und IBS-Linz-Österreich
Hero-Fire 90	38mm	EI90 Mono	1400mm x 2814mm	ALU-Fix-Firestop 90	Schüco	EN	PB 3.2/10-043-6 / und IBS-Linz-Österreich

Hero-Fire 120	54mm	EI120 Mono	1302mm x 2976mm	Vermicolite/Holz Festverglasung	Hero Fire	EN	6012418 IBS Linz
Hero-Fire 120	48mm	EI120 Mono	1302mm x 2976mm	Stahl	RP Technik 60N	EN	PB-DMT-DO-61-003

Hero-Fire A60	28mm	A60 Mon	2290mm x 2050 mm	Alu-Stahl oder Stahl-Stahl	Hero-Fire	IMO/GL	AS-10-11-HERO_FIRE(1.1) / GL-Certificate-18873-11HH
		A60 ISO	2290mm x 2050 mm	Alu-Stahl oder Stahl-Stahl	Hero-Fire	IMO/GL	Test Report GV 10-7514.1 / GL-Certificate-18873-11HH
Hero-Fire A60	28mm	A60 Mon		Stahl	I D E	IMO/GL	PB_20627772_A60_DMT_DO53-001 / GL-Certificate-37371-12HH
		A60 ISO	1810mm x 1210 mm	Stahl	I D E	IMO/GL	PB_20627772_A60_DMT_DO53-001 / GL-Certificate-37371-12HH